

Product Information



A PRODUCT OF THE VALVOLINE COMPANY • A DIVISION OF ASHLAND INC.

VALVOLINE MERCON®V

Valvoline Mercon®V is formulated with a blend of high tech synthetic and premium conventional basestocks combined with advanced additive technology to meet the challenging demands of an automatic transmission environment. Valvoline Mercon® V is designed to provide better heat resistance, cold flow capabilities, and transmission shutter resistance than conventional automatic transmission fluids. It is recommended for use in automatic transmissions for GM and post 1981 Ford passenger car (except where a Ford M2C33-F is specified), and light duty truck transmissions, as well as many imports.

The Valvoline Mercon® V Advantage

- **Low Temperature Protection:** Flows easily at low temperatures
- **Friction modified:** Contains additives to protect automatic transmission hardware
- **Cleaner transmission:** Minimizes sludge and varnish deposits
- **Compatibility:** Protects transmission seal materials
- **Anti-Shudder:** Provides superior anti-shudder performance

Approvals/Performance Levels

Mercon
Mercon V
Dexron IIIH
Dexron IIE, Dexron III & IIIG
Caterpillar TO-2
Allison C-4
Power Steering where a Dexron or Mercon fluid is recommended
Suitable for use in Nissan Matic D, Matic J, Matic K application

Test	Typical Property
Viscosity @ 100°C, cSt	7.12
Brookfield Viscosity @ -40°C, cP	12,000
Flash Point, °C	210.
Phosphorus, ppm	567
Color	Red
Specific Gravity @ 60°F	0.855

This information only applies to products manufactured in the following location(s):

Effective Date:	Replaces:	Pages	Code
10-25-04	6-24-04	DJD	

The information contained herein is correct to the best of our knowledge. The recommendations or suggestions contained in this bulletin are made without guarantee or representation as to results. We suggest that you evaluate these recommendations and suggestions in your own laboratory prior to use. Our responsibility for claims arising from breach of warranty, negligence or otherwise is limited to the purchase price of the material. Freedom to use any patent owned by Ashland or others is not to be inferred from any statement contained herein.