





WHAT IS THE ASH LEVEL YOU REQUIRE?



PERFORMANCE BENEFITS

- SENTRON[®] Natural Gas Engine Oils are premium performance, long-life engine oils for gas engines and compressors in a wide variety of applications.
- SENTRON LD 5000's extended life means extended drain intervals, less maintenance time and costs, and less disposal issues while providing extraordinary cleanliness for longer equipment life.
- Outstanding anti-wear protection prevents scoring of cylinder liners and piston ring wear, while reducing carbon build-up.



SENTRON 541C
(0.02% wt ash)

- SENTRON 541C is recommended for larger 2-stroke cycle gas engines, with the added flexibility of use in certain 4-stroke cycle gas engines.
- Minimizes combustion chamber and spark plug deposits.
- Suitable for use in engines with catalytic converters.

SENTRON CG-40
(0.92% wt ash)

- SENTRON CG-40 is designed for 4-stroke cycle gas engines running in severe service such as co-generation, sewage or sour gas or halogen-free landfill gas operations.

SENTRON 840
(0.7% wt ash)

- SENTRON 840 is recommended for use in high performance, 4-stroke cycle gas engines requiring a medium ash content.
- Not recommended for engines fitted with catalytic converters.



OTHER PRODUCTS FOR NATURAL GAS ENGINES

PRODUCT	APPLICATION
SENTRON Fleet 10W-40	<ul style="list-style-type: none"> • 0.5% wt ash. • Recommended for 4-stroke cycle gas engines and converted gas engines. • Minimizes combustion chamber and spark plug deposits.
SENTRON Fleet 0W-30	<ul style="list-style-type: none"> • 0.54% wt ash. • Recommended for 4-stroke cycle gas engines. • Ideal for extreme cold starts/ cold flow pumpability (<-35°C). • Not recommended for engines fitted with catalytic converters.